



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/774,516	01/31/2001	Balkrishna S. Jadhav	687-430	9340

7590 04/23/2004

JEFFREY J. HOHENSHELL
AMERICAN MEDICAL SYSTEMS INC.
10700 BREN ROAD WEST
MINNETONKA, MA 55343

EXAMINER

ISABELLA, DAVID J

ART UNIT PAPER NUMBER

3738

DATE MAILED: 04/23/2004

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

09/774,516

Applicant(s)

JADHAV, BALKRISHNA S.

Examiner

DAVID J ISABELLA

Art Unit

3738

-- The MAILING DATE of this communication appears on the cover sheet with the corresponding address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 8-14 and 46-65 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 8-14 and 46-65 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. ____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. ____. |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date ____. | 6) <input type="checkbox"/> Other: ____. |

Status of the Claims

Claims 8-14, 46-65 are pending for action. Claims 1-7 and 15-45 have been cancelled.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims are rejected under 35 U.S.C. 103(a) as being unpatentable over Kaplan et al (5320624) in view of Stinson (6245103).

Kaplan et al discloses the use of a blend of homopolymers in the fabrication of surgical devices. While Kaplan et al fails to specifically disclose "a stent" as a surgical device, stents have been fabricated from bioabsorbable materials as taught by Stinson. If not inherent in Kaplan, et al, to fabricate a stent from the blend of homopolymers as disclosed by Kaplan would have been obvious to one with ordinary skill in the art based on manufacturing and surgical considerations from the teachings of Stinson. (Note, the diameter of the stent is disclosed by Stinson, see Table 7.)

Claim 47, see braided tubes of Stinson.

Claim 48, see column 3, lines 1-40 of Kaplan.

Claim 49, from table 7, see example 30 of Stinson.

Claim 50, the ratio as disclosed by applicant's specification falls within the same ratios as disclosed by Kaplan. Therefor the modulus of the Kaplan's device as modified by Stinson would inherently fall within the range as claimed by applicant.

Claim 51, see range as disclosed by Stinson.

Claim 52, see table 7 of Stinson.

Claim 53, see crossing angles as taught by Stinson (column 10).

Claim 54, see fenestrations (openings) between the strand crossings of Stinson.

Claim 55, see column 3, lines 1-40 of Kaplan.

Claims 56-58, see rejections to claims 49-52 supra.

Claim 59, the stent of Kaplan has the size and physical characteristics as claimed by applicant and would inherently suffice (ie meet the requirements for use in the urethra) as a urethral stent.

Claim 60, see ratio blend as disclosed by Kaplan.

Claims 61-65 are essentially identical to the corresponding claims supra. Claim 61 is broader in that the stent does not require the fibers for construction of the tube.

Claims 8-14 are essentially identical to the corresponding claims supra that were rejection on the teachings of Stinson.

Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection.

Conclusion


Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire **THREE MONTHS** from the mailing date of this action. In the event a first reply is filed within **TWO MONTHS** of the mailing date of this final action and the advisory action is not mailed until after the end of the **THREE-MONTH** shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than **SIX MONTHS** from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to **DAVID J ISABELLA** whose telephone number is 703-308-3060. The examiner can normally be reached on **MONDAY-FRIDAY**.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **CORRINE MCDERMOTT** can be reached on 703-308-2111. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



DAVID J. ISABELLA
Primary Examiner
Art Unit 3738

DJI
APRIL 18, 2004